Wall-Mountable Interconnect Center (WIC), Lanscape

Holds 2 CCH connector panels, No Holes

CORNING

Corning wall-mountable interconnect center (WIC) is a cost-effective unit designed for storage and protection of fiber optic connections. This compact, modular unit is ideal for use in locations such as building entrance terminals, wiring closets, open office and other controlled environments where space is at a premium.

Features and Benefits

Universal cable clamp
Cable strain-relief

Durable metal housing
Protection

Lockable doors
System security

Routing guides
Fiber management

Part Number: WIC-02P

Standards

RoHS   Free of hazardous substances according to RoHS 2002/95/EG

Specifications

General Specifications	
Application	Enterprise Networks
Mounting type	Wall-Mountable
Product Type	Wall-Mountable Hardware

Design - Hardware	
Housing Color	Black
Housing Type	WIC
Locking Availability	Provider door
Number of Panels per Housing	2
Panel or Module Type	CCH
Splice Tray Options	Up to (4) 0.2-in or (2) 0.4-in reduced-length splice trays

CORNING

Wall-Mountable Interconnect Center (WIC), Lanscape

Holds 2 CCH connector panels, No Holes

CORNING

Mechanical Characteristics	
Dimensions (HxWxD)	33 cm x 21.6 cm x 6.6 cm (13 in x 8.5 in x 2.6 in)

Ordering Information

Part Number	WIC-02P
Product Description	Wall-Mountable Interconnect Center (WIC), holds 2 CCH connector panels

Shipping Information

Units per Delivery	1/1
Package Contents	Housing; blank panel; instruction sheet; central member strain-relief clamp kit; 6 tie wraps, 1/8 x 4, white; neoprene edge grommeting, 6-in
Shipping Weight	2.3 kg (5 lb)

RoHS COMPLIANT

CORNING