MAINFRAME HINGED CABINET SERIES

H-CAB SERIES

MAINFRAME's Hinged Cabinet Series have been designed for a reliable and secure install. Suitable for high-traffic areas, including server and A/V rooms, wiring closets, manufacturing or warehouse areas; when protection and security are of paramount concern, choose MAINFRAME'S H-CAB Series.

INTRODUCING

FEATURES

Double Section Swing-Out

Swinging rear door allows for easy access to equipment and cabling.

Removable Side Panels

Providing direct access to your gear and wiring.

Sturdy Welded Construction

Ships fully assembled, saving time and effort.



Surface Finish:

- Material: SPCC (quality cold rolled steel)
- Color: Black

Wide-Angle Door Access

Front Door opens over 180°; Rear Door opens over 90°.

Tempered Glass Door

Keeps internals more secure.

Usable Depth:

- Minimum: 435mm / 17.13"
- Maximum: 570mm / 22.44"
- Factory Default: 505mm / 19.88"

Includes:

- 10-32 Rack Screws and Cage Nuts (12 sets for 6/9/12U, 24 sets for 15U)
- Wall Anchors (4 pieces for 6/9/12U, 6 pieces for 15U)



Placement for two optional fans on top of cabinet.



A unique 90° rotating door allows access to the cabinet's rear for chasing wires and managing runs.



Front and rear vertical rails are freely adjustable up to 16", to accommodate a variety of networking equipment and cable accessories.



MAINFRAME HINGED CABINET SERIES H - C A B S E R I E S










H-CAB-6U

H-CAB-9U


H-CAB-12U

H-CAB-15U


MAIN DIMENSION



Top View



Side View



Front View

SPECIFICATIONS

MODEL	SIZE	DIMENSIONS W x D x H (mm)	DIMENSIONS W x D x H (in)	LOAD Capacity
H-CAB-6U	6U	$600\times600\times370.50$	$23.62 \times 23.62 \times 14.59$	60kg (132lbs)
H-CAB-9U	9U	$600\times600\times503.85$	$23.62 \times 23.62 \times 19.84$	60kg (132lbs)
H-CAB-12U	12U	600 × 600 × 637.20	23.62 × 23.62 × 25.09	60kg (132lbs)
H-CAB-15U	15U	600 × 600 × 770.55	23.62 × 23.62 × 30.34	60kg (132lbs)

MAINFRAME provides a 3-year warranty.

